

APPENDIX 10: REFERENCES

- Abbott, I. (2002). Origin and spread of the cat, *Felis catus*, on mainland Australia, with a discussion of the magnitude of its early impact on native fauna. *Wildlife Research*, **29**: 51–74.
- Abensperg-Traun, M., Atkins, L., Hobbs, R. and Steven, D. (1998). Exotic plant invasion and understorey species richness: a comparison of two types of eucalypt woodland in agricultural Western Australia. *Pacific Conservation Biology*, **4**: 21–32.
- ABS (2002). *2001 Census of Population and Housing: Population Summary Northern Territory*. Australian Bureau of Statistics, Canberra.
- Adair, R.J. and Groves, R.H. (1998). *Impact of Environmental Weeds on Biodiversity: A Review and Development of a Methodology*. National Weeds Program, Environment Australia, Canberra.
- AGO (1998). *National Greenhouse Strategy Strategic Framework for Advancing Australia's Greenhouse Response*. Australian Greenhouse Office, Canberra.
- AGO (2000). *National Greenhouse Gas Inventory: 1998*. Australian Greenhouse Office, Canberra.
- Agriculture & Resource Management Council of Australia & New Zealand (ARMCANZ), Australian & New Zealand Environment & Conservation Council (ANZECC) and Forestry Ministers (2001a). *Weeds of National Significance Lantana (Lantana camara) Strategic Plan*. National Weeds Strategy Executive Committee, Launceston, Tasmania.
- Agriculture & Resource Management Council of Australia & New Zealand (ARMCANZ), Australian & New Zealand Environment & Conservation Council (ANZECC) and Forestry Ministers (2001b). *Weeds of National Significance Parkinsonia (Parkinsonia aculeata) Strategic Plan*. National Weeds Strategy Executive Committee, Launceston, Tasmania.
- Agriculture & Resource Management Council of Australia & New Zealand (ARMCANZ), Australian & New Zealand Environment & Conservation Council (ANZECC) and Forestry Ministers (2001c). *Weeds of National Significance Mesquite (Prosopis species) Strategic Plan*. National Weeds Strategy Executive Committee, Launceston, Tasmania.
- Agriculture & Resource Management Council of Australia & New Zealand (ARMCANZ), Australian & New Zealand Environment & Conservation Council (ANZECC) and Forestry Ministers (2001d). *Weeds of National Significance Athel Pine (Tamarix aphylla) Strategic Plan*. National Weeds Strategy Executive Committee, Launceston, Tasmania.
- Ahmad, M. (2002). Geological Map of the Northern Territory, 1:2,500,000. Northern Territory Geological Survey.
- Albrecht, D.E., Duguid, A.W., Latz, P.K., Coulson, H. and Barritt, M.J (1997). *Vascular Plant Checklist for The Southern Bioregions of the Northern Territory: Nomenclature, Distribution and Conservation Status*. Parks and Wildlife Commission of the Northern Territory, Alice Springs.
- Albrecht, D.E, Duguid, A.W. and Coulson, H. (1999). *Vascular Plant Checklist for The Southern Bioregions of the Northern Territory: Update Bulletin No. 1*. Parks and Wildlife Commission of the Northern Territory, Alice Springs.
- Albrecht, D.E. and Pitts, B. (2004). *The Vegetation and Plant Species of the Alice Springs Municipality, Northern Territory*. Greening Australia and the Department of Infrastructure, Planning and Environment, Alice Springs, Northern Territory.
- Allan, G.E. (1993). *The Fire History of Central Australia*. Unpublished Report on the CSIRO / CCNT Bushfires Research Project, Volume 4. Conservation Commission of the Northern Territory, Alice Springs.
- Anon (1990). Establishing Buffel Grass in central Australia. *Agnote*, **No. 400**, Northern Territory Department of Industries and Development.
- Anon (1996). *The Northern Territory Weeds Management Strategy 1996–2005*. Northern Territory Government, Darwin.
- Anon (1999). *Flinders Ranges Bounceback Progress Report – Stage 1*. Department for Environment, Heritage and Aboriginal Affairs, South Australia.
- Anon (2000). *The Future of Buffel Grass (Cenchrus ciliaris) in Central Australia*. Unpublished report of a meeting held at CSIRO, Alice Springs, Northern Territory, 23 June 2000.
- Anon (2002). Crazy Ants and Big-headed Ants, new threats to Northern Territory biodiversity. Threatened Species Network National Newsletter *The Web*, **Winter 2002**: p. 12.

- Anon (2003a). Climate change and biodiversity. *Bulletin of the Ecological Society of Australia*, **33:4 December 2003**: p. 26.
- Anon (2003b). Threatened desert wattle recruitment – first in thirty years! Threatened Species Network National Newsletter *The Web*, **Winter 2003**: p. 11.
- Anon (2003c). *Response to Public Submissions on the Conservation Status of the Wildlife of the Northern Territory*. Parks and Wildlife Service, Department of Infrastructure, Planning and Environment, Darwin, Northern Territory.
- Anon (2003d). Zoology News. Newsletter for “Friends of the Desert Park” *Focus on Friends*, **Issue 6 December 2003**: p. 3.
- ANZECC (1999a). *The Australian Guidelines for Establishing the National Reserve System*. Australian and New Zealand Environment and Conservation Council, Canberra.
- ANZECC (1999b). *National Framework for the Management and Monitoring of Australia’s Native Vegetation*. Australian and New Zealand Environment and Conservation Council, Canberra.
- ANZECC and ARMCANZ (1999). *National Principles and Guidelines for Rangeland Management*. Australian and New Zealand Environment and Conservation Council and Agricultural and Resource Management Council of Australia and New Zealand.
- Armstrong, M., Woinarski, J., Hempel, C., Connors, G. and Beggs, K. (2002). *A Plan for the Conservation of Biodiversity in the Mary River Catchment, Northern Territory*. Unpublished report to Environment Australia. Parks and Wildlife, Department of Infrastructure, Planning and Environment, Darwin, Northern Territory.
- Aslin, H.J. and Lim, L. (2002). Kowari *Dasyuroides byrnei* (Spencer, 1896). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 59–61.
- Aumann, T. (2001). Habitat use, temporal activity patterns and foraging behaviour of raptors in the south-west of the Northern Territory, Australia. *Wildlife Research*, **28**: 365–378.
- Barker, R.M. (1998). A trial key and notes on *Tribulus* (Zygophyllaceae) in Australia, including one new species and validation of *Tribulus suberosus*. *Nuytsia*, **12(1)**: 9–35.
- Bastin, G. and James, C. (2000). *Milestone Report ERIN Biodiversity Condition Project, Case Study for the Rangelands*. Final Report to the National Land and Water Resources Audit, Canberra.
- Bastin, G.N., Pickup, G., Chewings, V.H. and Pearce, G. (1993). Land degradation assessment in central Australia using a grazing gradient method. *Rangeland Journal*, **15**: 190–216.
- Bastin, G.N., Pickup, G., Stanes, J. and Stanes, A. (1996). Estimating landscape resilience from satellite data and its application to pastoral land management. *Rangeland Journal*, **18**: 118–135.
- Bauer, F.H. (1983). The coming of European man. In: G. Crook (Ed.), *Man In The Centre*. In: Proceedings of a Symposium held at CSIRO, Alice Springs, Northern Territory, 3 – 5 April 1979.
- Bayliss, P. and Yeomans, K.M. (1989). Distribution and abundance of feral livestock in the Top End of the Northern Territory (1985–86), and their relation to population control. *Australian Wildlife Research*, **16**: 651–676.
- Baynes, A. and Baird, R.F. (1992). The original mammal fauna and some information on the original bird fauna of Uluru National Park, Northern Territory. *Rangeland Journal*, **14**: 92–106.
- Baynes, A. and Jones, B. (1993). The mammals of Cape Range Peninsula, north-western Australia. *Records of the Western Australian Museum*, Supplement No. **45**: 207–225.
- Baynes, A. and Johnson, K.A. (1996). The contributions of the Horn Expedition and cave deposits to knowledge of the original mammal fauna of central Australia. In: S.R. Morton and D.J. Mulvaney (Eds.), *Exploring Central Australia: Society, the Environment and the 1894 Horn Expedition*. Surrey Beatty & Sons, Sydney, pp. 168–186.
- Benshemesh, J. and Johnson, K. (In press). Biology and Conservation of Marsupial Moles (*Notoryctes*). In: M. Jones and C. Dickman (Eds.), *Predators with Pouches: The Biology of Carnivorous Marsupials*. CSIRO, Canberra.
- Berman, D.McK., Pitts, B. and Walker, C.M. (1992). *Remnants of Mitchell Grass Pasture Undisturbed by Cattle on the Barkly Tableland*. Unpublished consultancy report to the Australian Nature Conservation Agency. Conservation Commission of the Northern Territory, Alice Springs.

- Best, R.A. (1998). *The Effect of Introduced Buffel Grass (Cenchrus ciliaris L., Poaceae) on the Diversity and Abundance of Invertebrates in Semi-Arid Central Australia*. Unpublished Graduate Diploma Thesis, Northern Territory University, Darwin.
- Blakers, M., Davies, S.J.J.F. and Reilly, P.N. (1984). *The Atlas of Australian Birds*. Melbourne University Press, Melbourne.
- Bond, W.J. and van Wilgen, B.W. (1996). *Fire and Plants*. Population and Community Biology Series 14. Chapman and Hall, London.
- Bowman, B. (1989). *A History of Central Australia 1930 – 1980*. Colemans Printing.
- Bowman, D.M.J.S., Latz, P.K. and Panton, W.J. (1994). Pattern and change in an *Acacia aneura* shrubland and *Triodia* hummock grassland mosaic on rolling hills in central Australia. *Australian Journal of Botany*, **43**: 25–37.
- Braysher, M. (1993). *Managing Vertebrate Pests: Principles and Strategies*. Bureau of Resource Sciences, Australian Government Publishing Service, Canberra.
- Brook, A., Tynan, R. and Fleming, M. (2001). *Indices of Change in Ecosystem Function (Cover) for Northern South Australia Using Landsat TM*. Final Report to the National Land and Water Resources Audit, Canberra.
- Bryan, R. (2001). Humane control of feral horses in central Australia. In: *Proceedings of the 12th Australasian Vertebrate Pest Conference*, 21 – 25 May, Melbourne, Victoria, pp. 125–129.
- Burbidge, A.A., Johnson, K.A., Fuller, P.J. and Southgate, R.I. (1988). Aboriginal knowledge of the mammals of the central deserts of Australia. *Australian Wildlife Research*, **15**: 9–39.
- Bureau of Meteorology (2000). *Climatic Atlas of Australia – Rainfall*. Bureau of Meteorology, Australia, 20 pp.
- Bureau of Meteorology (2001). *Climatic Atlas of Australia – Evapotranspiration*. Bureau of Meteorology, Australia, 20 pp.
- Burgman, M.A. and Lindenmayer, D.B. (1998). *Conservation Biology for the Australian Environment*. Surrey Beatty & Sons.
- Butler, D.W. and Fairfax, R.J. (2003). Buffel Grass and fire in a Gidgee and Brigalow woodland: A case study from central Queensland. *Ecological Management and Restoration*, **4**: 120–125.
- Caley, P. (1993). Population dynamics of feral pigs (*Sus scrofa*) in a tropical riverine habitat complex. *Wildlife Research*, **20**: 625–636.
- Carter, C. (1990). Feral animals on Aboriginal land. In: *Environment 90 Feral Animals Seminar*. In: *Proceedings of a Conference held in Alice Springs, Northern Territory, 7 June 1990*. Conservation Commission of the Northern Territory, pp. 17–19.
- Carr, G.W. (1993). Exotic flora of Victoria and its impact on indigenous biota. In: D.B. Foreman and N.G. Walsh (Eds.), *Flora of Victoria, Volume 1 Introduction*. Inkata Press, Melbourne, pp. 256–297.
- Caughley, G., Grigg, G.C., Caughley, J. and Hill, G.J.E. (1980). Does dingo predation control the density of kangaroos and emus. *Australian Wildlife Research*, **7**: 1–12.
- Caughley, J., Bomford, M., Parker, B., Sinclair, R., Griffiths, J. and Kelly, D. (1998). *Managing Vertebrate Pests: Rodents*. Bureau of Resource Sciences and Grains Research and Development Corporation, Canberra.
- Cavaye, J. (1991). *The buffel book: a guide to Buffel Grass pasture development in Queensland*. *Information Series, Q190001*, Queensland Department of Primary Industries, Brisbane.
- Chisholm, D.A. (1983). Rural European man as a resource manager. In: G. Crook (Ed.), *Man In The Centre*. *Proceedings of a Symposium held at CSIRO, Alice Springs, Northern Territory, 3 – 5 April 1979*.
- Choquenot, D. (1988). *Feral Donkeys in Northern Australia: Population Dynamics and the Cost of Control. Summary Results and Recommendations*. Unpublished report to the Conservation Commission of the Northern Territory. Canberra College of Advanced Education, Canberra.
- Choquenot, D., McIlroy, J. and Korn, T. (1996). *Managing Vertebrate Pests: Feral Pigs*. Bureau of Resource Sciences, Australian Government Publishing Service, Canberra.
- Christidis, L. and Boles, W.E. (1994). *The Taxonomy and Species of Birds of Australia and Its Territories*. Royal Australasian Ornithologists Union, **Monograph 2**. RAOU, Melbourne.
- Churchill, S. (1998). *Australian Bats*. Reed New Holland.

- Churchill, S.K. and Helman, P.M. (1990). Distribution of the Ghost Bat, *Macroderma gigas*, (Chiroptera: Megadermatidae) in central and South Australia. *Australian Mammalogy*, **13**: 149–156.
- Clarke, P.J., Copeland, L.M., Noble, N.E., Bale, C.L. and Williams, J.B. (2000). *The Vegetation and Plant Species of New England National Park*. Botany, University of New England, Armidale, New South Wales.
- Clarke, K.R. and Warick, R.M. (2001). *Change in Marine Communities: An Approach to Statistical Analysis and Interpretation*. 2nd Edition, PRIMER-E, Plymouth.
- Clifton, R. (2003). Radiometric Map of the Northern Territory, 1:2500,000. Northern Territory Geological Survey, Department of Business, Industry and Resource Development.
- CLMA (1999). *Towards Clean Green Beef*. Proceeding of a CLMA Landcare Shindig. Centralian Land Management Association, September 1999, Alice Springs, Northern Territory.
- CLMA (2001–2002). *Post-RCD Rabbit Control to Benefit Threatened Species in the Finke Bioregion*. Unpublished final report on Project No. 28421 funded under the National Heritage Trust. Centralian Land Management Association, Alice Springs, Northern Territory.
- CLMA (2002). *Integrated Pastoral Resource Management*. Unpublished final report on Project No. 98064 funded under the Natural Heritage Trust. Centralian Land Management Association, Alice Springs, Northern Territory.
- CLMA and TSN (2001). *Black-footed Rock-wallabies Monitoring on NT Pastoral Stations*. Unpublished final report on Project No. NT04/199 funded by the World Wide Fund for Nature Australia and the Natural Heritage Trust. Centralian Land Management Association and Threatened Species Network, Alice Springs, Northern Territory.
- Cody, M.L. (1994). Mulga bird communities. I. Species composition and predictability across Australia. *Australian Journal of Ecology*, **19**: 206–219.
- Cogger, H.G. (2000). *Reptiles & Amphibians of Australia*. Sixth Edition, Reed New Holland.
- Cole, J.R. and Gibson, D.F. (1987). The Eyrean Grasswren *Amytornis goyderi* in the Northern Territory. *South Australian Ornithologist*, **30**: 57–59.
- Cole, J.R. and Woinarski, J.C.Z. (2000). Rodents of the arid Northern Territory: conservation status and distribution. *Wildlife Research*, **27**: 437–449.
- Commonwealth of Australia (1992a). *National Forest Policy Statement, a New Focus for Australia's Forests*. Advance Press, Perth.
- Commonwealth of Australia (1992b). *National Strategy for Ecologically Sustainable Development*. Australian Government Publishing Service, Canberra.
- Connors, G. Oliver, B. and Woinarski, J. (1996). *Bioregions of the Northern Territory: Conservation Values, Reservation Status and Information Gaps*. Final report on Project N607 to the Australian Nature Conservation Agency, National Reserves System Co-operative Program. Parks and Wildlife Commission of the Northern Territory, Darwin.
- Cook, P.J. (1972). Rodinga, Northern Territory. 1:250,000 Geological Map Series. *Australian Geological Survey Organisation, Explanatory Notes: SG/53-2*.
- Corbett, L.K. (1995). *The Dingo in Australia and Asia*. University of New South Wales Press Ltd., Sydney.
- Corbett L.K. and Newsome, A.E. (1987). The feeding ecology of the dingo. III. Dietary relationships with widely fluctuating prey populations in arid Australia: an hypothesis of alternation of predation. *Oecologia*, **74**: 215–227.
- Corbett, L.K., Newsome, A.E. and Jones, M.A. (1975). *Pseudomys australis minnie* - a new record for the Northern Territory. *Australian Mammalogy*, **1**: 392–393.
- Craig, R., Heath, B., Raisbeck-Brown, N., Steber, M., Marsden, J. and Smith, R. (2002). The distribution, extent and seasonality of large fires in Australia, April 1998 - March 2000 as mapped from NOAA-AVHRR imagery. In: J. Russell-Smith, R. Craig, A.M. Gill, R. Smith and J. Williams (Eds.), *Australian Fire Regimes: Contemporary Patterns (April 1998 - March 2000) and Changes Since European Settlement*. Australia State of the Environment Second Technical Paper Series, Biodiversity. Australian Government Department of the Environment and Heritage, Canberra. (<http://www.ea.gov.au/soe/techpapers/fire/index.html>)
- Crisp, M.D., Laffan, S., Linder, H.P. and Monro, A. (2001). Endemism in the Australian flora. *Journal of Biogeography*, **28**: 183–198.

- Cunningham, G.M., Mulham, W.E., Milthorpe, P.L. and Leigh, J.H. (1981). *Plants of Western New South Wales*. Soil Conservation Service of New South Wales.
- Davis, J.A. (1995). *The Aquatic Ecosystems of the West MacDonnell Ranges, Northern Territory with Particular Reference to the Aquatic Invertebrate Fauna*. Unpublished report to the Parks and Wildlife Commission of the Northern Territory, Alice Springs.
- DEST (1996). *A National Strategy for the Conservation of Australia's Biological Diversity*. Department of the Environment, Sport and Territories, Canberra.
- DIPE (2002). *Land Clearing Guidelines - Broadacre Developments, Linear Developments, Subdivisions*. Resource Management Guidelines for the Northern Territory. Department of Infrastructure, Planning and Environment, Northern Territory Government.
- Dobbie, W. and Berman, D. (1992). *Control of Bumbies in Central Australia*. Unpublished report, Conservation Commission of the Northern Territory in association with the Department of Primary Industry and Fisheries, Alice Springs.
- Dobbie, W.R., Berman, D.McK. and Braysher, M.L. (1993). *Managing Vertebrate Pests: Feral Horses*. Bureau of Resource Sciences, Australian Government Publishing Service, Canberra.
- Donato, D. (1999). Bird usage patterns on Northern Territory mining water tailings and their management to reduce mortality. Northern Territory Bird Usage of Tailings Storage Facilities Co-ordinating Group, Darwin.
- Dörge, B. and Heucke, J. (1995). *Ecology, Social Organisation and Behavior of the Feral Dromedary Camelus dromedarius (L. 1758) in Central Australia*. Unpublished translation of two PhD dissertations, University of Braunschweig, Braunschweig, Germany.
- Dowling, R.M. and McKenzie, R.A. (1993). Poisonous plants: a field guide. *Information Series , QI92035*, Queensland Department of Primary Industries, Brisbane.
- DPP (1986). *Taming the Outback: NT Brucellosis and Tuberculosis Eradication Campaign*. BTEC Unit, Department of Primary Production, Northern Territory.
- Duguid, A., Barnetson, J., Clifford, B., Pavey, C., Albrecht, D., Risler, J. and McNellie, M. (In prep.). *Wetlands in the arid Northern Territory*. Unpublished report to the Australian Government Department of the Environment and Heritage on the inventory and significance of wetlands in the arid NT. Parks and Wildlife Service, Department of Infrastructure, Planning and Environment, Alice Springs, Northern Territory.
- Edwards, G.P., de Preu, N., Shakeshaft, B.J. and Crealy, I.V. (2000). An evaluation of two methods of assessing feral cat and dingo abundance in central Australia. *Wildlife Research*, **27**: 143–149.
- Edwards, G.P. and Dobbie, W. (1999). *Rabbit Calicivirus Disease Program Report 3: Use and Benefits of Integrated Control of Wild Rabbits in Australia*. A report of research conducted by participants of the Rabbit Calicivirus Disease Monitoring and Surveillance Program and Epidemiology Research Program. Prepared for the RCD Management Group. Bureau of Rural Sciences, Canberra.
- Edwards, G.P., Dobbie, W. and Berman, D.M. (2002a). Population trends in European rabbits and other wildlife of central Australia in the wake of rabbit haemorrhagic disease. *Wildlife Research*, **29**: 557–565.
- Edwards, G.P., Dobbie, W. and Berman, D.M. (2002b). Warren ripping: its impacts on European rabbits and other wildlife of central Australia amidst the establishment of rabbit haemorrhagic disease. *Wildlife Research*, **29**: 567–575.
- Edwards, G.P., Eldridge, S.R., Wurst, D., Berman, D.M. and Garbin, V. (2001). Movement patterns of female feral camels in central and northern Australia. *Wildlife Research*, **28**: 283–289.
- Edwards, G.P., Pople A.R., Saalfeld, K. and Caley, P. (2004). Introduced mammals in Australian rangelands: Future threats and the role of monitoring programmes in management strategies. *Austral Ecology*, **29**: 40–50.
- Edwards, G.P., Saalfeld, K. and Clifford, B. (In press). Population trend of feral camels in the Northern Territory, Australia. *Wildlife Research*.
- Ehrlich, P.R. (1988). The loss of biodiversity. In: E.O Wilson (Ed.), *Biodiversity*. National Academy Press, Washington DC, pp. 21–27.
- Eldridge, S.R. and Bryan, R.J. (1995). *Dingo Questionnaire Survey June – November 1995*. Unpublished report, Parks and Wildlife Commission of the Northern Territory, Alice Springs.

- Eldridge, S. and Reid, J. (2000). *A Biological Survey of the Finke Floodout Region, Northern Territory*. Unpublished report to the Australian Heritage Commission under the National Estate Grants Program (NEGP), 1992. Arid Lands Environment Centre, Alice Springs, Northern Territory.
- Eldridge, S.R., Shakeshaft, B.J. and Nano, T.J. (2002). *The Impact of Wild Dog Control on Cattle, Native and Introduced Herbivores and Introduced Predators in Central Australia*. Unpublished report to the Bureau of Rural Sciences. Parks and Wildlife Service, Department of Infrastructure, Planning and Environment, Alice Springs, Northern Territory.
- Environment Australia (2000). *Revision of the Interim Biogeographic Regionalisation of Australia (IBRA) and Development of Version 5, Summary Report*. Environment Australia, Canberra.
- Environment Australia (2001). *A Directory of Important Wetlands in Australia*. Third Edition, Environment Australia, Canberra.
- ESAC (1992). *An Australian National Strategy for the Conservation of Australian Species and Communities Threatened with Extinction*. Endangered Species Advisory Committee (ESAC), April 1992.
- Everist, S.L. (1974). *Poisonous Plants of Australia*. Angus and Robertson, Sydney.
- Fairfax, R.J. and Fensham, R.J. (2000). The effect of exotic pasture development on floristic diversity in central Queensland, Australia. *Biological Conservation*, **94**: 11–21.
- Fensham, R. and McCosker, J. (2000). Environmental concerns of buffel grasslands. In: Proceeding *Buffel Grass Symposium*, 21 – 23 February, Theodore, Queensland. Queensland Department of Primary Industries.
- Finlayson, H.H. (1961). On central Australian mammals, Part IV – the distribution and status of central Australian species. *Records of the South Australian Museum*, **41**: 141–191.
- Finnane, K. (2002). *Fixing foxes*. Alice Springs News, **Vol. 9, Issue 40**, November 6, 2002, Alice Springs, Northern Territory.
- Fisher, A. (2000). Monitoring biodiversity in the northern grassy landscapes. In Conference Proceeding *Northern Grassy Landscapes*, 29 – 31 August, Katherine, Northern Territory.
- Fisher, A. (Ed.) (In prep.). *A Conservation Plan for the Sturt Plateau Bioregion*. Unpublished final report to the Natural Heritage Trust, Australian Government Department of the Environment and Heritage. Conservation and Natural Resources, Department of Infrastructure, Planning and Environment, Darwin, Northern Territory.
- Fisher, P., Marks, C. and Johnston, M. (2001). New techniques for feral cat management: biological, chemical or fertility control? In: Proceedings of the *12th Australasian Vertebrate Pest Conference*, 21 – 25 May, Melbourne, Victoria, pp. 150–155.
- Fleming, P., Corbett, L., Harden, R. and Thomson, P. (2001). *Managing the Impacts of Dingoes and Other Wild Dogs*. Bureau of Rural Sciences, Canberra.
- Forrest, P. (1985–86). *Station History Collector Series*. Centralian Advocate, Alice Springs, Northern Territory.
- Franks, A.J. (2002). The ecological consequences of Buffel Grass *Cenchrus ciliaris* establishment within remnant vegetation of Queensland. *Pacific Conservation Biology*, **8**: 99–107.
- Franks, A., Butler, D. and Fairfax, R. (2000). A weed by any other name. Autumn 2000 *Wildlife Australia Magazine*, p.24.
- Friedel, M.H. and Tongway, D.J. (1992). Degradation and potential for recovery in some central Australian rangelands II. Vegetation. In: *Australian Rangelands in a Changing Environment*. Conference papers from the Australian Rangeland Society 7th Biennial Conference, 5 – 8 October, Cobar, New South Wales. Australian Rangeland Society, pp. 252–253.
- Friedel, M.H., Kinloch, J.E. and Müller, W.J. (1996a). The potential of some mechanical treatments for rehabilitating arid rangelands I. Within-site effects and economic returns. *Rangeland Journal*, **18**: 150–164.
- Friedel, M.H., Kinloch, J.E. and Müller, W.J. (1996b). The potential of some mechanical treatments for rehabilitating arid rangelands II. Identifying indicators from between-site comparisons. *Rangeland Journal*, **18**: 165–178.
- Friedel, M.H., Sparrow, A.D., Kinloch, J.E. and Tongway, D.J. (2003). Degradation and recovery processes in arid grazing lands of central Australia. Part 2: vegetation. *Journal of Arid Environments*, **55**: 327–348.

- Friend, J.A. (1990). The Numbat *Myrmecobius fasciatus* (Myrmecobidae): history of decline and potential for recovery. *Proceeding of the Ecological Society of Australia*, **16**: 369–377.
- Garnett, S.T. and Crowley, G.M. (2000). *The Action Plan for Australian Birds*. Environment Australia and Birds Australia.
- Gibson, D.F. (2000). Distribution and conservation status of the Black-footed Rock-wallaby, *Petrogale lateralis* (MacDonnell Ranges race), in the Northern Territory. *Australian Mammalogy*, **21**: 213–236.
- Gibson, D.F., Lundie-Jenkins, G., Langford, D.G., Cole, J.R., Clarke, D.E. and Johnson, K.A. (1994). Predation by feral cats, *Felis catus*, on the Rufous Hare-wallaby, *Lagorchestes hirsutus*, in the Tanami Desert. *Australian Mammalogy*, **17**: 103–107.
- Gill, M.A., van Didden, G. and Moore, P.H.R. (2002). The relationship between Hot Spots from NOAA-AVHRR imagery and fires in SW Australian forests. In: J. Russell-Smith, R. Craig, A.M. Gill, R. Smith and J. Williams (Eds.), *Australian Fire Regimes: Contemporary Patterns (April 1998 - March 2000) and Changes Since European Settlement*. Australia State of the Environment Second Technical Paper Series, Biodiversity. Australian Government Department of the Environment and Heritage, Canberra. (<http://www.ea.gov.au/soe/techpapers/fire/index.html>)
- Graham, A., Johnson, K. and Graham, P. (1984). *An Aerial Survey of Horses and Other Large Animals in the Alice Springs and Gulf Regions*. Unpublished report, Conservation Commission of the Northern Territory, Alice Springs.
- Griffin, G.F. (1993). The spread of Buffel Grass in inland Australia: land use conflicts. In: J.T. Swarbrick, C.W.L. Henderson, R.J. Jettner, L. Streit and S.R. Walker (Eds.), *Proceedings of the 10th Australian Weeds Conference and 14th Asian Pacific Weed Science Society Conference*, 6–10 September, Brisbane, Australia. Weed Society of Queensland, Brisbane.
- Griffin, G.F., Stafford Smith, D.M., Morton, S.R., Allan, G.E., Masters, K.A. and Preece, N. (1989). Status and implications of the invasion of Tamarisk (*Tamarix aphylla*) on the Finke River, Northern Territory, Australia. *Journal of Environmental Management*, **29**: 297–315.
- Hayes, J. (1999). History of centralian pastoralism. In: *Proceeding of a CLMA Landcare Shindig Towards Clean Green Beef*. Centralian Land Management Association, September 1999, Alice Springs, Northern Territory.
- Henzell, R.P., Cunningham, R.B. and Neave, H.M. (2002). Factors affecting the survival of Australian wild rabbits exposed to rabbit haemorrhagic disease. *Wildlife Research*, **29**: 523–542.
- Holling, C.S. (1973). Resilience and stability of ecological systems. *Annual Review of Ecology and Systematics*, **4**: 1–23.
- Howden, M., Hughes, L., Dunlop, M., Zethoven, I., Hilbert, D. and Chilcott, C. (Eds.) (2003). *Climate Change Impacts on Biodiversity in Australia*. Outcomes of a workshop sponsored by the Biological Diversity Advisory Committee, 1–2 October 2002. CSIRO Sustainable Ecosystems, Canberra.
- Humphries, E.S., Groves, R.H. and Mitchell, D.S. (1991). Plant invasions: the incidence of environmental weeds in Australia. *Kowari 2*. Australian National Parks and Wildlife Service, Canberra.
- Iparpa Swamp Rehabilitation Committee (2003). *Iparpa Swamp Rehabilitation Plan*. Department of Infrastructure, Planning and Environment, Alice Springs, Northern Territory.
- Isbell, R.F. (1996). *The Australian Soil Classification*. CSIRO Publishing, Australia.
- JANIS (1996). *The Nationally Agreed Criteria for the Establishment of a Comprehensive, Adequate and Representative Reserve System for Forests in Australia*. A report by the Joint ANZECC / MCFFA National Forest Policy Statement Implementation Sub-committee.
- Johnson, K. (1991). Feral cats: the Northern Territory perspective. In: C. Potter (Ed.), *The Impact of Cats on Native Wildlife*. In: *Proceedings of a Workshop held on 8 – 9 May 1991*. Australian National Parks and Wildlife Service, Canberra, pp. 45–52.
- Johnson, K.A. (2002a). Bilby *Macrotis lagotis* (Reid, 1837). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 186–188.
- Johnson, K.A. (2002b). Marsupial Mole *Notoryctes typhlops* (Stirling, 1889). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 409–411.

- Johnson, K.A. and Burbidge, A.A. (2002). Rufous Hare-wallaby *Lagorchestes hirsutus* (Gould, 1844). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 316–318.
- Johnson, K.A. and Roff, A.D. (1982). The Western Quoll, *Dasyurus geoffroii* (Dasyuridae, Marsupialia) in the Northern Territory: historical records from venerable sources. In: M. Archer (Ed.), *Carnivorous Marsupials*. Royal Zoological Society of New South Wales, Sydney Australia, pp. 221–226.
- Keith, D. (1996). Fire-driven extinction of plant populations: a synthesis of theory and review of evidence from Australian vegetation. *Proceedings of the Linnean Society of New South Wales*, **116**: 37–78.
- Kennedy, A. and Sugars, M. (2001). The Land Resources of Lilla Creek Station. *Report No., RN 30/2001*. Department of Lands, Planning and Environment, Alice Springs, Northern Territory.
- Kinloch, J.E. and Friedel, M.H. (1996). Seed banks and soil loss in grazed arid grasslands - some preliminary results. In: *Focus on the Future - the Heat is on*. Proceedings of the 9th Biennial Australian Rangeland Conference, Port Augusta, South Australia. Australian Rangeland Society, pp. 243–244.
- Kinloch, J.E. and Friedel, M.H. (In press a). Soil seed reserves in arid grazing lands of central Australia. Part 1: seed bank and vegetation dynamics. *Journal of Arid Environments*.
- Kinloch, J.E. and Friedel, M.H. (In press b). Soil seed reserves in arid grazing lands of central Australia. Part 2: availability of 'safe sites'. *Journal of Arid Environments*.
- Kinnear, J.E., Onus, M.L. and Bromilow, R.N. (1988). Fox control and rock wallaby dynamics. *Australian Wildlife Research*, **15**: 435–450.
- Kirkpatrick, J.B. (1990). A synusia-based mapping system for the conservation management of natural vegetation, with an example from Tasmania, Australia. *Biological Conservation*, **53**: 93–104.
- Landsberg, J., James, C.D., Maconochie, J., Nicholls, A.O., Stol, J. and Tynan, R. (2002). Scale-related effects of grazing on native plant communities in an arid rangeland region of South Australia. *Journal of Applied Ecology*, **39**: 427–444.
- Landsberg, J., James, C.D., Morton, S.R., Hobbs, T.J., Stol, J., Drew, A. and Tongway, H. (1997). The effects of artificial sources of water on rangeland biodiversity. Final report to the Biodiversity Convention and Strategy Section of the Biodiversity Group, Environment Australia. *Biodiversity Technical Paper, No. 3*. Environment Australia and CSIRO, Canberra.
- Langford, D. and Burbidge, A.A. (2001). Translocation of Mala (*Lagorchestes hirsutus*) from the Tanami Desert, Northern Territory to Trimouille Island, Western Australia. *Australian Mammalogy*, **23**: 37–46.
- Latz, P.K. (1991). Buffel and Couch Grass in central Australian creeks and rivers. *Newsletter of the Central Australian Conservation Council, Inc.*, **April 1991**: 5.
- Latz, P. (1995). *Bushfires and Bushtucker: Aboriginal Plant Use in Central Australia*. IAD Press, Alice Springs, Northern Territory.
- Latz, P. and Hewett, M. (2003). *A Natural Resource Management Report of the Angas Downs Pastoral Lease*. Alice Springs, Northern Territory.
- Latz, P.K., Clarke, P.J. and Albrecht, D. (In prep.). Long-term changes in the ground layer in central Australia following the cessation of grazing and invasion by Buffel Grass.
- Lehane, R. (1996). *Beating the Odds: The Eradication of Bovine Brucellosis and Tuberculosis in Australia*. Commonwealth of Australia.
- Letts, G.A., Bassingthwaite, A. and de Vos, W.E.L. (1979). *Feral Animals in the Northern Territory*. Report of the Board of Inquiry, Department of Primary Production, Northern Territory Government.
- Lewis, D. (2002). *Slower than the Eye can See. Environmental change in northern Australia's cattle lands – a case study from the Victoria River District, Northern Territory*. Tropical Savannas CRC, Darwin, Northern Territory.
- Lim, L. (1992). *Recovery Plan for the Kowari, Dasyuroides byrnei Spencer, 1896*. Unpublished report to the Australian National Parks and Wildlife Service Endangered Species Program on behalf of the South Australian and Queensland National Parks and Wildlife Service.
- Lonsdale, W.M. (1994). Inviting trouble: Introduced pasture species in northern Australia. *Australian Journal of Ecology*, **19**: 345–354.

- Low, T. (1999). *Feral Future*. Viking, Penguin Books Australia Ltd., Ringwood.
- Low, W.A. (1983). *Rabbit Biology and Control in Arid and Semi-arid Lands*. Unpublished report to the Conservation Commission of the Northern Territory, Alice Springs.
- Low, W.A. (1990). Fixing the problem of rabbit numbers in the NT, control using new and existing techniques. In: *Environment 90 Feral Animals Seminar*. Proceedings of a Conference held in Alice Springs, Northern Territory, 7 June 1990. Conservation Commission of the Northern Territory, pp. 51–56.
- Ludwig, J.A., Eager, R.W., Liedloff, A.C., McCosker, J.C., Hannah, D., Thurgate, N.Y., Woinarski, J.C.Z. and Catterall, C.P. (2000). Clearing and grazing impacts on vegetation patch structures and fauna counts in eucalypt woodland, central Queensland. *Pacific Conservation Biology*, **6**: 254–272.
- Lundie-Jenkins, G. (1992). *Feral Cats in the Arid Zone: An Integrated Plan for Research and Management of the Feral Cat, Felis catus in Australia's Arid Zone*. Funding submission to the Australian National Parks and Wildlife Service Endangered Species Programme. Conservation Commission of the Northern Territory, Alice Springs.
- Marks, C.A. (2001). The 'achilles heel' principle. In: Proceedings of the *12th Australasian Vertebrate Pest Conference*, 21 – 25 May, Melbourne, Victoria, pp. 330–335.
- Marsh, H. and Sinclair, D.F. (1989). Correcting for visibility bias in strip transect aerial surveys of aquatic fauna. *Journal of Wildlife Management*, **53**: 1017–1024.
- Matthews, D., Bryan, R. and Edwards, G. (2001). Recovery of the Black-footed Rock-wallaby following horse removal on Finke Gorge National Park, Northern Territory. In: Proceedings of the *12th Australasian Vertebrate Pest Conference*, 21 – 25 May, Melbourne, Victoria, p. 204.
- McAlpin, S.F. (2001). *A Recovery Plan for the Great Desert Skink (Egernia kintorei)*. Arid Lands Environment Centre, Alice Springs, Northern Territory.
- McBarron, E.J. (1977). *Medical and Veterinary Aspects of Plant Poisons in New South Wales*. New South Wales Department of Agriculture, Sydney.
- McBarron, E.J. (1978). *Poisonous Plants of Western New South Wales*. New South Wales Department of Agriculture, Sydney.
- McDonald, R.C., Isbell, R.F., Speight, J.G., Walker, J. and Hopkins, M.S. (1990). *Australian Soil and Land Survey Field Handbook*. Second Edition, Inkata Press.
- McKenzie, N.L., Morris, K.D. and Dickman, C.R. (2002). Golden Bandicoot *Isodon auratus* (Ramsay, 1887). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 172–173.
- McLean, G. (2003). *New bait aimed at wiping out foxes*. Centralian Advocate, Friday, January 10 2003, Alice Springs, Northern Territory.
- McNeely, J.A., Miller, K.R., Reid, W.V., Mittermeier, R.A. and Werner, T.B. (1990). *Conserving the World's Biological Diversity*. International Union for the Conservation of Nature and Natural Resources, Gland, Switzerland.
- Michelmores, M. (1995). Weeds of Arid South Australia. *Technical Report, No. 240*. Animal and Plant Control Commission, Primary Industries, South Australia.
- Miller, G. (2003). *Ecological Impacts of Buffel Grass (Cenchrus ciliaris L.) Invasion in Central Australia – Does Field Evidence Support a Fire-Invasion Feedback?* Unpublished Honours Thesis, University of New South Wales, Kensington, 127p.
- Morgan, G. (2001). *Landscape Health in Australia: A Rapid Assessment of the Relative Condition of Australia's Bioregions and Subregions*. Report prepared for Environment Australia and the National Land and Water Resources Audit.
- Morton, S.R. (1990). The impact of European settlement on the vertebrate animals of arid Australia: a conceptual model. *Proceedings of the Ecological Society of Australia*, **16**: 201–213.
- Morton, S.R. and James, C.D. (1988). The diversity and abundance of lizards in arid Australia: a new hypothesis. *The American Naturalist*, **132**: 237–256.
- Morton, S.R., Short, J. and Baker, R.D. (1995). Refugia for Biological Diversity in Arid and Semi-arid Australia. *Biodiversity Series, Paper No. 4*, Biodiversity Unit. Department of Environment, Sport and Territories and CSIRO, Canberra.

- Muller, P.G. (2000). Soil properties of the Buffel Grass pasture lands. In: Proceeding *Buffel Grass Symposium*, 21 – 23 February, Theodore, Queensland. Queensland Department of Primary Industries.
- Nano, T. and Smith, R. (1999). *Assessment of the Distribution & Habitat Preferences of the Common Brushtail Possum (Trichosurus vulpecula) in Central Australia*. Data collection booklet for the Possums on Park Project. Parks and Wildlife Commission of the Northern Territory, Alice Springs.
- Neave, H.M. (1999). *Rabbit Calicivirus Disease Program Report 1: Overview of Effects on Australian Wild Rabbit Populations and Implications for Agriculture and Biodiversity*. A report of research conducted by participants of the Rabbit Calicivirus Disease Monitoring and Surveillance Program and Epidemiology Research Program. Prepared for the RCD Management Group. Bureau of Rural Sciences, Canberra.
- Neave, H.M., Norton, T.W. and Nix, H.A. (1996). Biological inventory for conservation evaluation I. Design of a field survey for diurnal, terrestrial birds in southern Australia. *Forest Ecology and Management*, **85**: 107–122.
- Newsome, A.E. and Corbett, L.K. (1975). Outbreaks of rodents in semi-arid and arid Australia: causes, preventions, and evolutionary considerations. In: I. Prakash and P.K. Ghosh (Eds.), *Rodents in Desert Environments*. Dr W. Junk: The Hague, pp. 117–153.
- Newsome, A., Pech, R., Smyth, R., Banks, P. and Dickman, C. (1997). *Potential Impacts on Australian Native Fauna of Rabbit Calicivirus Disease*. Biodiversity Group, Environment Australia, Canberra.
- NHT (2000). *Special Circumstances Affecting Land and Resource Administration in the Northern Territory*. Attachment C to an Agreement made between the Commonwealth of Australia and the Northern Territory, Natural Heritage Trust.
- Noble, J., Low, W.A., Jacobson, G. and Gillen, J. (1996). *Distribution and Abundance of Relict Warrens Constructed by the Burrowing Bettong at Uluru-Kata Tjuta N.P.* Unpublished report to the Australian Nature Conservation Agency on Project DN70.
- Noss, R.F. (1991). Landscape connectivity at different scales. In: W.E. Hudson (Ed.), *Landscape Linkages and Biodiversity*. Island Press, Washington DC, pp. 27–39.
- NTGS (2003a). *Titles Information System*. Northern Territory Geological Survey, Department of Business, Industry and Resource Development. (<http://150.191.80.53/TIS/>)
- NTGS (2003b). *Geology and Resource Potential of the Amadeus Basin*. Northern Territory Geological Survey, Department of Business, Industry and Resource Development. (http://www.dme.nt.gov.au/ntgs/mineral_res_prgms/RegionalProjs/GeoResPotential_Amadeus_Basin.html)
- Olsen, P. (1998). *Australia's Pest Animals New Solutions to Old Problems*. Bureau of Resource Sciences and Kangaroo Press.
- O'Reilly, G. (2002). The impact of grazing on pasture composition in a sandy open woodland in central Australia. *Technical Bulletin*, **No. 302**. Department of Business, Industry and Resource Development, Alice Springs, Northern Territory.
- Paltridge, R and McAlpin, S. (2002). *A Guide to Rare and Threatened Animals in Central Australia*. World Wide Fund for Nature, Australia.
- Paltridge, R., Gibson, D. and Edwards, G. (1997). Diet of the feral cat (*Felis catus*) in central Australia. *Wildlife Research*, **24**: 67–76.
- Parker, S.A. (1971). Critical notes on the status of some central Australian birds. *Emu*, **71**: 99–102.
- Parker, S.A. (1973). An annotated checklist of the native land mammals of the Northern Territory. *Records of the South Australian Museum*, **16(11)**: 1–57.
- Parker, S.A., May, I.A. and Head, W. (1978). Some observations on the Eyrean Grasswren *Amytornis goyderi* (Gould, 1875). *Records of the South Australian Museum*, **17(24)**: 361–371.
- Parkes, J., Henzell, R. and Pickles, J. (1996). *Managing Vertebrate Pests: Feral Goats*. Bureau of Resource Sciences and Australian Nature Conservation Agency, Australian Government Publishing Service, Canberra.
- Parsons, W.T. (1973). *Noxious Weeds of Victoria*. Inkata Press, Melbourne.
- Parsons, W.T. and Cuthbertson, E.G. (2001). *Noxious Weeds of Australia*. Second Edition. CSIRO Publishing, Collingwood, Victoria.
- Pastoral Land Board (2002). *Pastoral Land Board Annual Report 2000/2001*. Pastoral Land Board of the Northern Territory.

- Pastoral Land Board (2004). *Guidelines for Clearing Pastoral Land*. Pastoral Land Board of the Northern Territory.
- Pastoral Land Board Advisory Committee (2003). *Northern Territory Pastoral Land Condition Report 2002/2003*. Draft report to the Northern Territory Pastoral Land Board (11/11/2003), 44 pp.
- Paull, C.J. and Lee, G.R. (1978). Buffel Grass in Queensland. *Queensland Agricultural Journal*, **104**: 57–75.
- Pavey, C.R. and Joseph, L. (In prep.). The occurrence of the Slender-billed Thornbill *Acanthiza iredalei* in the Northern Territory.
- Pedler, L. (1992). Review of the status and distribution of the Chestnut-breasted Whiteface *Aphelocephala pectoralis*. *South Australian Ornithologist*, **31**: 79–93.
- Perry, R.A., Mabbutt, J.A., Litchfield, W.H., Quilan, T., Jones, N.O., Slatyer, R.O., Stewart, G.A., Bateman, W. and Ryan, G.R. (1962). *General Report on Lands of the Alice Springs Area, Northern Territory, 1956-57*. Commonwealth Scientific and Industrial Research Organization, Australia, Melbourne.
- Pitts, B. and Albrecht, D. (2000). Buffel Grass (*Cenchrus ciliaris*) control in central Australia. *Danthonia*, **9(1)**: 7–8.
- Price, O., Milne, D., Connors, G., Harwood, B., Woinarski, J. and Butler, M. (2000). *A Conservation Plan for the Daly Basin Bioregion*. Unpublished report to Environment Australia. Parks and Wildlife Commission of the Northern Territory, Darwin.
- Priddel, D. and Wheeler, R. (In prep.). An experimental translocation of Brush-tailed Bettongs *Bettongia penicillata* to western New South Wales.
- Prior, T.W. (1990). Landholders – The challenge and the reality. In: *Environment 90 Feral Animals Seminar*. Proceedings of a Conference held in Alice Springs, Northern Territory, 7 June 1990. Conservation Commission of the Northern Territory, pp. 70–72.
- PWCNT (1997). *Northern Territory Parks Masterplan "Towards a Secure Future"*. Parks and Wildlife Commission of the Northern Territory, Darwin.
- PWCNT (1998a). *A Strategy for the Conservation of Threatened Species and Ecological Communities in the Northern Territory of Australia*. Parks and Wildlife Commission of the Northern Territory, Darwin.
- PWCNT (1998b). *A Management Program for the Greater Bilby Macrotis lagotis in the Northern Territory of Australia*. Parks and Wildlife Commission of the Northern Territory, Darwin.
- PWCNT (2000). *A Strategy for Conservation of the Biological Diversity of Wetlands in the Northern Territory of Australia*. Parks and Wildlife Commission of the Northern Territory, Darwin.
- Ranford, L.C. and Cook, P.J. (1964). Henbury, Northern Territory. 1:250,000 Map Sheet. *Bureau of Mineral Resources, Geology and Geophysics, Record*: **1964/40**.
- Read, D.G. (2002). Narrow-nosed Planigale *Planigale tenuirostris* (Troughton, 1928). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 113–115.
- Recher, H.F. and Davis Jr, W.E. (1997). Foraging ecology of a Mulga bird community. *Wildlife Research*, **24**: 27–43.
- Reid, J. and Fleming, M. (1992). The conservation status of birds in central Australia. *Rangeland Journal*, **14**: 65–91.
- Reid, J.R.W., Kerle, J.A. and Baker, L. (1993). Uluru fauna. *Kowari 4*. Australian National Parks and Wildlife Service, Canberra, pp. 69–78.
- Reu, S.D. and Garbin, V.T. (1999). The Land Resources of Eralunda Station. *Technical Memorandum*, **TM 99/2**. Department of Lands, Planning and Environment, Alice Springs, Northern Territory.
- Richards, G.C. and Hand, S. (2002). Ghost Bat *Macroderma gigas* (Dobson, 1880). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 446–447.
- Rolls, E.C. (1969). *They All Ran Wild*. Angus and Robertson, Sydney.

- Russell-Smith, J., Craig, R., Gill, A.M., Smith, R. and Williams, J. (2002). *Australian Fire Regimes: Contemporary Patterns (April 1998 - March 2000) and Changes Since European Settlement*. Australia State of the Environment Second Technical Paper Series, Biodiversity. Australian Government Department of the Environment and Heritage, Canberra. (<http://www.ea.gov.au/soe/techpapers/fire/index.html>)
- Sattler, P. and Creighton, C. (2002). *Australian Terrestrial Biodiversity Assessment 2002*. National Land and Water Resources Audit, A Program of the Natural Heritage Trust. Land and Water Australia on behalf of the Commonwealth of Australia.
- Sattler, P. and Williams, R. (Eds.) (1999). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane.
- Saunders, G., Coman, B., Kinnear, J. and Braysher, M. (1995). *Managing Vertebrate Pests: Foxes*. Bureau of Resource Sciences, Australian Government Publishing Service, Canberra.
- Schodde, R. and Mason, I.J. (1999). *The Directory of Australian Birds: Passerines*. CSIRO Publishing, Melbourne.
- Schodde, R. and Tidemann, S.E. (Eds.) (1986). *Reader's Digest Complete Book of Australian Birds*. Reader's Digest, Sydney.
- Serena, M. and Soderquist, T. (2002). Western Quoll *Dasyurus geoffroyi* (Gould, 1841). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 62–64.
- Shaw, K. and Bastin, G. (1988a). Land systems and pasture types of the southern Alice Springs district. *Technical Bulletin*, **No. 136**. Department of Primary Industries, Alice Springs, Northern Territory.
- Shaw, K.A. and Bastin, G.N. (1988b). Range condition and pastoral management in the southern Alice Springs district. *Technical Bulletin*. Department of Primary Industries and Fisheries, Alice Springs, Northern Territory.
- Shaw, R. and Wells, A.T. (1983). Alice Springs, Northern Territory. 1:250,000 Geological Map Series. *Australian Geological Survey Organisation, Explanatory Notes: SF/53-14*.
- Short, J., Caughley, G., Grice, D. and Brown, B. (1988). The distribution and relative abundance of camels in Australia. *Journal of Arid Environments*, **15**: 91–97.
- Smith, N.M. (1995). *Weeds of Natural Ecosystems: a field guide to environmental weeds of the Northern Territory, Australia*. Environment Centre, Northern Territory.
- Southgate, R., Palmer, C., Adams, M., Masters, P., Triggs, B. and Woinarski, J. (1996). Population and habitat characteristics of the Golden Bandicoot (*Isodon auratus*) on Marchinbar Island, Northern Territory. *Wildlife Research*, **23**: 647–664.
- Sparrow, A.D., Friedel, M.H. and Stafford Smith, D.M. (1997). A landscape-scale model of shrub and herbage dynamics in central Australia, validated by satellite data. *Ecological Modelling*, **97**: 197–216.
- Sparrow, A.D., Friedel, M.H. and Tongway, D.J. (2003). Degradation and recovery processes in arid grazing lands of central Australia. Part 3: implications at landscape scale. *Journal of Arid Environments*, **55**: 349–360.
- Specht, R.L., Specht, A., Whelan, M.B. and Hegarty, E.E. (1995). *Conservation Atlas of Plant Communities in Australia*. Southern Cross University Press, Lismore.
- Spencer, B. (Ed.) (1896). *Report on the Work of the Horn Scientific Expedition to Central Australia, Part II. – Zoology*. Dulau and Co, London and Melville, Mullen and Slade, Melbourne.
- Stewart, A.J. (1967). Kulgera, Northern Territory. 1:250,000 Geological Map Series. *Australian Geological Survey Organisation, Explanatory Notes: SG/53-5*.
- Stewart, A.J. (1968). McDills, Northern Territory. 1:250,000 Geological Map Series. *Australian Geological Survey Organisation, Explanatory Notes: SG/53-7*.
- Stirling, E.C. (1891). Description of a new genus and species of Marsupialia, 'Notoryctes typhlops'. *Transactions of the Royal Society of South Australia*, **14**: 154–187.
- Storr, G.M. (1977). *Birds of the Northern Territory*. Western Australian Museum Special Publication, **No. 7**. Western Australian Museum, Perth.
- Thackway, R. and Cresswell, I.D. (Eds.) (1995). *An Interim Biogeographic Regionalisation for Australia: A Framework for Establishing the National System of Reserves*. Version 4.0, Australian Nature Conservation Agency, Canberra.

- Tongway, D.J. and Friedel, M.H. (1992). Degradation and potential for recovery in some central Australian rangelands: I. Soils and landscape. In: *Australian Rangelands in a Changing Environment*. Conference papers from the Australian Rangeland Society 7th Biennial Conference, 5 – 8 October, Cobar, New South Wales. Australian Rangeland Society, pp. 250–251.
- Tongway, D.J., Sparrow, A.D. and Friedel, M.H. (2003). Degradation and recovery processes in arid grazing lands of central Australia. Part 1: soil and land resources. *Journal of Arid Environments*, **55**: 301–326.
- Tyler, M.J. and Davies, M. (1986). *Frogs of the Northern Territory*. Conservation Commission of the Northern Territory.
- Unmack, P.J. (1995). Desert fishes down under. *Proceedings of the Desert Fishes Council 1994*, **26**: 71–95.
- Valente, A. (2002). Kultarr *Antechinomys laniger* (Gould, 1856). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 121–122.
- Vesk, P.A. and Westoby, M. (2001). Predicting plant species' responses to grazing. *Journal of Applied Ecology*, **38**: 897–909.
- Walsh, D. (2003). *Develop Centre Land Watch A Pastoralists Natural Resource Monitoring Program*. Final Report on Project No. 2000/40. Centralian Land Management Association, Alice Springs, Northern Territory.
- Watts, C.H.S. (2002a). Fawn Hopping-mouse *Notomys cervinus* (Gould, 1853). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 574–575.
- Watts, C.H.S. (2002b). Plains Rat *Pseudomys australis* (Gray, 1832). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 586–587.
- Wells, A.T. (1968). Finke, Northern Territory. 1:250,000 Geological Map Series. *Australian Geological Survey Organisation, Explanatory Notes: SG/53-6*.
- Wells, A.T., Ranford, L.C. and Cook, P.J. (1963). Lake Amadeus, Northern Territory. 1:250,000 Map Sheet. *Bureau of Mineral Resources, Geology and Geophysics, Record: 1963/51*.
- White, M., Albrecht, D., Duguid, A., Latz, P. and Hamilton, M. (2000a). *Plant Species and Sites of Botanical Significance in the Southern Bioregions of the Northern Territory; Volume 1: Significant Vascular Plants*. A report to the Australian Heritage Commission from the Arid Lands Environment Centre, Alice Springs, Northern Territory of Australia.
- White, M., Albrecht, D., Duguid, A., Latz, P. and Hamilton, M. (2000b). *Plant Species and Sites of Botanical Significance in the Southern Bioregions of the Northern Territory; Volume 2: Significant Sites*. A report to the Australian Heritage Commission from the Arid Lands Environment Centre, Alice Springs, Northern Territory of Australia.
- Wilkie, A. (1997). Buffel Grass – which one is it? In: A. White (Ed.), *Buffel Grass Special Issue, Alice Springs Rural Review*, **27(9)**. Department of Primary Industry and Fisheries, Alice Springs, Northern Territory.
- Williams, K., Parer, I., Coman, B., Burley, J. and Braysher, M. (1995). *Managing Vertebrate Pests: Rabbits*. Bureau of Resource Sciences and CSIRO Division of Wildlife and Ecology, Australian Government Publishing Service, Canberra.
- Wilson, B.A., Brocklehurst, P.S., Clark, M.J. and Dickinson, K.J.M. (1990). *Vegetation Survey of the Northern Territory, Australia*. Parks and Wildlife Commission of the Northern Territory, Darwin.
- Wilson, G., Dexter, N., O'Brien, P. and Bomford, M. (1992). *Pest Animals in Australia*. Bureau of Rural Resources, Canberra and Kangaroo Press, Sydney.
- Winnecke, C. (1884). Mr Winnecke's explorations during 1883. *South Australian Parliamentary Paper*, **39**: 1–14.
- Woinarski, J. (2001). Background paper 1: A review of changes in status of threatening processes. In: P. Whitehead, J. Woinarski, A. Fisher, R. Fensham and K. Beggs (Eds.), *Developing an Analytical Framework for Monitoring Biodiversity in Australia's Rangelands*. A report by the Tropical Savannas CRC for the National Land and Water Resources Audit. Tropical Savannas CRC, Darwin, Northern Territory, pp. 71–310.

- Woinarski, J., Brennan, K., Hempel, C., Firth, R. and Watt, F. (2000). *Biodiversity Conservation on the Tiwi Islands: Plants, Vegetation Types and Terrestrial Vertebrates on Melville Island*. Unpublished report to the Tiwi Land Council. Parks and Wildlife Commission of the Northern Territory, Darwin, 245 pp.
- Woinarski, J., Brennan, K., Cowie, I., Kerrigan, R. and Hempel, C. (2003a). *Biodiversity Conservation on the Tiwi Islands, Northern Territory. Part 1. Environments and Plants*. Conservation and Natural Resources, Department of Infrastructure, Planning and Environment, Darwin, Northern Territory, 144 pp.
- Woinarski, J., Brennan, K., Hempel, C., Armstrong, M., Milne, D. and Chatto, R. (2003b). *Biodiversity Conservation on the Tiwi Islands, Northern Territory. Part 2. Fauna*. Conservation and Natural Resources, Department of Infrastructure, Planning and Environment, Darwin, Northern Territory, 127 pp.
- Woinarski, J., Hadden, K., Hicks, J. and McLeod, D. (2003c). *Biodiversity Conservation on the Tiwi Islands, Northern Territory. Part 3. Management and Planning for Biodiversity Conservation*. Conservation and Natural Resources, Department of Infrastructure, Planning and Environment, Darwin, Northern Territory, 67 pp.
- Woolley, P.A. (2002). *Mulgara Dasyercus cristicauda* (Krefft, 1867). In: R. Strahan (Ed.), *The Mammals of Australia*. Revised Edition. Australian Museum / Reed New Holland, pp. 55–56.
- Wurst, D. (1990). *Report on the Survey for the Central Rock-rat, Zyzomys pedunculatus in the Alice Springs Region*. Unpublished report funded under the Endangered Species Programme for the Australian National Parks and Wildlife Service, ESP Project No. 6. Conservation Commission of the Northern Territory, Alice Springs.
- Wurst, D. and Saalfeld, W.K. (1994). *Aerial Survey of Feral Camels and Other Large Vertebrate Species in the Alice Springs Region of the Northern Territory*. Unpublished report to the Australian Nature Conservation Agency. Conservation Commission of the Northern Territory, Alice Springs.
- Yates, C. and Russell-Smith, J. (2002). An Assessment of the accuracy of DOLA's northern Australian NOAA-AVHRR fire affected area (FAA) map products. In: J. Russell-Smith, R. Craig, A.M. Gill, R. Smith and J. Williams (Eds.), *Australian Fire Regimes: Contemporary Patterns (April 1998 - March 2000) and Changes Since European Settlement*. Australia State of the Environment Second Technical Paper Series, Biodiversity. Australian Government Department of the Environment and Heritage, Canberra. (<http://www.ea.gov.au/soe/techpapers/fire/index.html>)